

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	210	((mobile mobil) and ip and port). clm.	US-PGPUB	OR	ON	2005/12/07 09:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	("mobile ip" "mobil ip") near2 message) with port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:58
L2	18	("mobile ip" "mobil ip") near2 message) same port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:58
L3	9	2 and @ad<"20001228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:58
L4	3	2 and @rlad<"20001228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:58
L5	10	3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:58
S1	2	("6353614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 08:57
S2	13	("5159592"   "5227778"   "5526489"   "5550984"   "5636216"   "5708655"   "5793763"   "5812819"   "5867660"   "5872847"   "6011782"   "6055236"   "6157950").PN.	USPAT	OR	ON	2004/05/16 14:45
S3	17	"6353614".URPN.	USPAT	OR	ON	2004/05/16 14:45
S4	30	S2 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:20
S5	571	"home agent" and "foreign agent"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 14:46

S6	121	"mobility binding"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 16:00
S7	73	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:14
S11	775	"port allocation" "port assignment"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:56
S12	4	S11 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:16
S13	4017	port near3 range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:39
S14	5	S5 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:17
S15	103	S4 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 15:20
S16	48	S6 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 16:00
S17	87	(port near3 range) with assign\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:46

S18	18	("5126999"   "5130975"   "5136582"   "5185736"   "5247626"   "5255266"   "5291481"   "5313582"   "5357506"   "5365522"   "5384773"   "5390184"   "5418779"   "5436894"   "5583991"   "5638518"   "5644712"   "5671441").PN.	USPAT	OR	ON	2004/05/16 16:17
S19	9	"6014715".URPN.	USPAT	OR	ON	2004/05/16 16:17
S20	27	S18 S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:13
S21	7	((("6549538") or ("6157950") or ("6584096") or ("6636498") or ("6691227") or ("5572528") or ("6014715"))).PN.	USPAT; USOCR	OR	OFF	2004/05/16 17:14
S22	4749	S11 S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:15
S23	4	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 18:42
S24	1	"port based nat"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:26
S25	285	"network address" and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:34
S26	4	port and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:52
S27	1	registration and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 17:36

S30	0	care and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 18:43
S31	0	care-of and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 18:51
S32	1	binding and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/16 19:09
S33	5	((("6584096") or ("6691227") or ("6549538") or ("6636498") or ("6157950"))).PN.	USPAT; USOCR	OR	OFF	2004/05/16 19:10
S34	4440	port near (allocat\$5 assign\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:57
S35	719	"home agent" and "foreign agent"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 12:57
S36	16	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 13:50
S37	6315	mobile with ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 13:50
S38	116	S34 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:04
S39	5943	registration near request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:05

S40	70	S34 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:27
S41	1	"port based nat"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:27
S42	444	port with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:27
S43	14	S35 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:35
S44	2	((("6584096") or ("6691227"))).PN.	USPAT	OR	OFF	2004/12/22 14:36
S45	2	port and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:36
S46	603	"port range"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:40
S47	16	S39 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:41
S48	77	field with port with extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:42
S49	0	field with port with extention	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:42
S50	123	(port near3 range) with (assign\$7 allocat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:50

S51	41	extended with nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 14:59
S52	443	network with address with port with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 15:00
S53	100	napt and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 15:00
S54	2	("20020038339").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:41
S55	1	(port with range) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:41
S56	50	("6172986" "6195705" "6160804" "6396828" "6430698" "6445922" "6466964" "6487605" "6501746" "6522880" "6539225" "6549522" "6567664" "6578085" "6621810" "6636498" "6646999" "6684256" "6707809" "6711147" "6721291" "6738362" "6751672" "6760444" "6765892" "6771623" "6795705" "6795857" "6850532" "6856624" "6915325" "6256300" "6424639" "6452920" "6510144" "6560217" "6574214" "6697354" "6721297" "6724775" "6747961" "6765900" "6785256" "6785293" "6804221" "6842456" "6862274" "6868089" "6888845" "6892069").pn.	USPAT	OR	ON	2005/08/11 14:23
S57	0	range with port and S56	USPAT	OR	ON	2005/08/11 14:36
S58	19	port and S56	USPAT	OR	ON	2005/08/11 14:23

S59	52	("4953198"   "5159592"   "5227778"   "5327365"   "5497339"   "5526353"   "5526489"   "5550984"   "5604737"   "5606594"   "5636216"   "5654957"   "5708655"   "5737333"   "5742596"   "5754547"   "5793657"   "5793763"   "5812819"   "5835723"   "5862331"   "5867495"   "5867660"   "5872847"   "5889774"   "5892924"   "5915008"   "5933778"   "5950195"   "6011782"   "6055236"   "6055561"   "6058421"   "6058431"   "6079021"   "6101189"   "6101543"   "6104711"   "6115751"   "6134591"   "6137791"   "6157950"   "6172986"   "6185184"   "6195705"   "6212183"   "6212563"   "6249820"   "6266707"   "6269099"   "6353614"   "6353891").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:27
S60	3	("6697354").URPN.	USPAT	OR	ON	2005/08/11 14:27
S61	55	S59 S60	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:27
S62	35	port and S61	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:27
S63	158	range with port with (mobile mobil cell phone)	USPAT	OR	ON	2005/08/11 14:38
S64	7	assign\$6 with range with port with (mobile mobil cell phone)	USPAT	OR	ON	2005/08/11 15:30
S65	25	range with port with (mobile mobil phone)	USPAT	OR	ON	2005/08/11 14:42
S66	1634	range near2 port	USPAT	OR	ON	2005/08/11 14:42
S67	33	assign\$6 with S66	USPAT	OR	ON	2005/08/11 15:30
S68	6	("5517617"   "6243749"   "6396830"   "6446127"   "6515997"   "6539019").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:49
S69	2	("6687245").URPN.	USPAT	OR	ON	2005/08/11 14:47
S70	8	S68 S69	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:49



S71	5	port and S70	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:12
S72	1398	"port number" with assign\$6	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:17
S73	390	(mobile mobil portable "cell phone") and S72	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:14
S74	29	(mobile mobil portable "cell phone") with S72	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/16 11:53
S75	60	"port number" with assign\$6 with (range multiple plural)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:23
S76	2	allocat\$6 with range with port with (mobile mobil cell phone)	USPAT	OR	ON	2005/08/11 15:30
S77	23	allocat\$6 with S66	USPAT	OR	ON	2005/08/11 15:31
S78	23	"network address" with "port translation"	USPAT	OR	ON	2005/08/11 15:35
S79	23	port and S78	USPAT	OR	ON	2005/08/11 15:35
S80	3079	3com.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 11:11
S82	59	nat and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 11:36
S83	5	((("6055236") or ("6353614") or ("6567405") or ("6697354") or ("6822957"))).PN.	USPAT	OR	OFF	2005/08/16 11:37
S85	5	(mobile mobil portable "cell phone" wireless) and S83	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/16 17:56
S86	5	((("6055236") or ("6353614") or ("6567405") or ("6697354") or ("6822957"))).PN.	USPAT	OR	OFF	2005/08/16 18:35
S87	5	port and S86	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/16 17:56
S88	1	("6697354").PN.	USPAT	OR	OFF	2005/08/16 18:35

S89	1	registration and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:21
S90	1	globally and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 18:39
S91	0	care and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:21
S92	1	foreign and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:29
S93	1	"11.0.0.4" and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:35
S94	0	disjoint and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:35
S95	1	unique and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 19:36
S96	1	"external network address" and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:17
S97	0	visitor and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 20:17